



لیست قیمت اینورتر اینوت (بهمن ۱۴۰۴)

| لیست قیمت درایو - بهمن 1404 | | | | | | |
|-----------------------------|---------------------------------|-----------|-----------|-----------------|----------------|------|
| ولتاژ (V) | عمق×ارتفاع×عرض (mm) | جریان (A) | توان (kW) | قیمت (ریال) | کد کالا | ردیف |
| مدل GD27، کاربری سنگین | | | | | | |
| 220/3 ~ 220/1 ~ | 60×190×155 | 2.5 | 0.4 | 154,130,000 | GD27-0R4G-S2-B | 1 |
| | | 4.2 | 0.75 | 166,250,000 | GD27-0R7G-S2-B | 2 |
| | 70×190×155 | 7.5 | 1.5 | 207,750,000 | GD27-1R5G-S2-B | 3 |
| | | 10 | 2.2 | 225,000,000 | GD27-2R2G-S2-B | 4 |
| 380/3~ | 60×190×155 | 2.5 | 0.75 | 207,750,000 | GD27-0R7G-4-B | 5 |
| | | 3.7 | 1.5 | 225,000,000 | GD27-1R5G-4-B | 6 |
| | 70×190×155 | 5.5 | 2.2 | 244,000,000 | GD27-2R2G-4-B | 7 |
| | | 7.5 | 3 | 282,130,000 | GD27-003G-4-B | 8 |
| | | 9.5 | 4 | 337,500,000 | GD27-004G-4-B | 9 |
| | 90×235×155 | 14 | 5.5 | 394,630,000 | GD27-5R5G-4-B | 10 |
| | | 18.5 | 7.5 | 479,380,000 | GD27-7R5G-4-B | 11 |
| | 130×250×185 | 25 | 11 | 529,500,000 | GD27-011G-4-B | 12 |
| | | 32 | 15 | 603,000,000 | GD27-015G-4-B | 13 |
| | | 38 | 18 | 735,380,000 | GD27-018G-4-B | 14 |
| | 160×300×190 | 45 | 22 | 911,880,000 | GD27-022G-4-B | 15 |
| | مدل GD270، درایو تخصصی پمپ و فن | | | | | |
| 380/3~ | 89×231×193 | 3.7 | 1.5 | 228,500,000 | GD270-1R5-4 | 16 |
| | | 5 | 2.2 | 259,630,000 | GD270-2R2-4 | 17 |
| | | 9.5 | 4 | 290,750,000 | GD270-004-4 | 18 |
| | 89×259×211 | 13 | 5.5 | 344,500,000 | GD270-5R5-4 | 19 |
| | | 17 | 7.5 | 415,380,000 | GD270-7R5-4 | 20 |
| | 145×280×207 | 25 | 11 | 505,380,000 | GD270-011-4 | 21 |
| | | 32 | 15 | 603,880,000 | GD270-015-4 | 22 |
| | 169×320×214 | 38 | 18.5 | 733,750,000 | GD270-018-4 | 23 |
| | | 45 | 22 | 884,130,000 | GD270-022-4 | 24 |
| | 200×341×185 | 60 | 30 | 1,076,300,000 | GD270-030-4 | 25 |
| | | 75 | 37 | 1,320,300,000 | GD270-037-4 | 26 |
| | 250×400×202 | 92 | 45 | 1,585,400,000 | GD270-045-4 | 27 |
| | | 115 | 55 | 1,900,000,000 | GD270-055-4 | 28 |
| | 282×560×238 | 150 | 75 | 2,326,500,000 | GD270-075-4 | 29 |
| | | 180 | 90 | 2,819,200,000 | GD270-090-4 | 30 |
| | | 215 | 110 | 3,322,200,000 | GD270-110-4 | 31 |
| | 338×554×326 | 260 | 132 | 3,941,300,000 | GD270-132-4 | 32 |
| | | 305 | 160 | 4,489,800,000 | GD270-160-4 | 33 |
| | | 340 | 185 | 5,006,000,000 | GD270-185-4 | 34 |
| | 338×825×386 | 380 | 200 | 5,669,200,000 | GD270-200-4 | 35 |
| | | 425 | 220 | 6,547,200,000 | GD270-220-4 | 36 |
| | | 460 | 250 | 7,500,000,000 | GD270-250-4 | 37 |
| | 303×1108×468 | 530 | 280 | 8,122,200,000 | GD270-280-4 | 38 |
| | | 600 | 315 | 8,907,400,000 | GD270-315-4 | 39 |
| | 330×1288×544 | 650 | 355 | 10,782,400,000 | GD270-355-4 | 40 |
| | | 720 | 400 | استعلام از شرکت | GD270-400-4-L1 | 41 |
| | | 820 | 450 | استعلام از شرکت | GD270-450-4-L1 | 42 |
| | 330×1398×544 | 860 | 500 | استعلام از شرکت | GD270-500-4-L1 | 43 |

مهندسی راستان
فروش تجهیزات برق و اتوماسیون صنعتی

تلفن: ۰۹۲۱۵۷۸۷۷۹
لینک سایت: www.rastankala.com
آدرس: مشهد، خیابان سنایی، بین سنایی ۱ و ۳، پلاک ۲۹۲

invt لیست قیمت درایو - بهمن 1404

| ولتاژ (V) | عمق×ارتفاع×عرض (mm) | جریان (A) | توان (kW) | قیمت (ریال) | کد کالا | ردیف | |
|--|--------------------------------|------------|---------------|---------------|-------------------|---------------|----|
| مدل GD350-19 ، درایو تخصصی چرنتیل و تاور کرین (چاپر ترمز داخلی) | | | | | | | |
| 380/3~ | 146×256×192 | 18.5 | 7.5 | 629,880,000 | GD350-19-7R5G-4-B | 44 | |
| | 170×320×220 | 25 | 11 | 747,500,000 | GD350-19-011G-4-B | 45 | |
| | | 32 | 15 | 884,130,000 | GD350-19-015G-4-B | 46 | |
| | 200×341×208 | 38 | 18.5 | 1,067,500,000 | GD350-19-018G-4-B | 47 | |
| | | 45 | 22 | 1,292,500,000 | GD350-19-022G-4-B | 48 | |
| | 250×400×223 | 60 | 30 | 1,588,300,000 | GD350-19-030G-4-B | 49 | |
| | | 75 | 37 | 1,970,700,000 | GD350-19-037G-4-B | 50 | |
| | 282×560×258 | 92 | 45 | 2,495,700,000 | GD350-19-045G-4-B | 51 | |
| | | 115 | 55 | 3,011,900,000 | GD350-19-055G-4-B | 52 | |
| | | 150 | 75 | 3,664,800,000 | GD350-19-075G-4-B | 53 | |
| | 338×554×330 | 180 | 90 | 4,244,200,000 | GD350-19-090G-4-B | 54 | |
| | | 215 | 110 | 5,097,200,000 | GD350-19-110G-4-B | 55 | |
| | مدل GD20 ، کاربری سنگین | | | | | | |
| | 220/1~ 220/3 | 80×160×124 | 2.5 | 0.4 | 173,130,000 | GD20-0R4G-S2 | 56 |
| 4.2 | | | 0.75 | 187,000,000 | GD20-0R7G-S2 | 57 | |
| 80×185×141 | | 7.5 | 1.5 | 226,880,000 | GD20-1R5G-S2 | 58 | |
| | | 10 | 2.2 | 259,630,000 | GD20-2R2G-S2 | 59 | |
| 146×256×167 | | 13 | 3 | 391,130,000 | GD20-003G-S2 | 60 | |
| | | 16 | 4 | 422,250,000 | GD20-004G-S2 | 61 | |
| 380/3~ | 80×185×141 | 2.5 | 0.75 | 244,000,000 | GD20-0R7G-4 | 62 | |
| | | 4.2 | 1.5 | 261,380,000 | GD20-1R5G-4 | 63 | |
| | | 5.5 | 2.2 | 292,500,000 | GD20-2R2G-4 | 64 | |
| | 146×256×167 | 9.5 | 4 | 391,130,000 | GD20-004G-4 | 65 | |
| | | 14 | 5.5 | 469,000,000 | GD20-5R5G-4 | 66 | |
| | 170×320×196 | 18.5 | 7.5 | 566,000,000 | GD20-7R5G-4 | 67 | |
| | | 25 | 11 | 655,750,000 | GD20-011G-4 | 68 | |
| | | 32 | 15 | 802,880,000 | GD20-015G-4 | 69 | |
| | 200×341×184 | 38 | 18.5 | 977,750,000 | GD20-018G-4 | 70 | |
| | | 45 | 22 | 1,164,500,000 | GD20-022G-4 | 71 | |
| | 250×400×202 | 60 | 30 | 1,437,900,000 | GD20-030G-4 | 72 | |
| | | 75 | 37 | 1,729,500,000 | GD20-037G-4 | 73 | |
| | 282×560×238 | 92 | 45 | 2,136,900,000 | GD20-045G-4 | 74 | |
| | | | 45 | 45 | 2,242,800,000 | GD20-045G-4-B | 75 |
| | | 115 | 55 | 2,554,500,000 | GD20-055G-4 | 76 | |
| | | | 55 | 55 | 2,683,900,000 | GD20-055G-4-B | 77 |
| | | | 75 | 75 | 3,058,900,000 | GD20-075G-4 | 78 |
| | 338×554×329 | 150 | 75 | 3,210,400,000 | GD20-075G-4-B | 79 | |
| | | | 90 | 90 | 3,603,000,000 | GD20-090G-4 | 80 |
| | | 180 | 90 | 3,783,900,000 | GD20-090G-4-B | 81 | |
| | | | 110 | 110 | 4,267,800,000 | GD20-110G-4 | 82 |
| | 215 | 110 | 4,483,900,000 | GD20-110G-4-B | 83 | | |

مهندسی راستان
فروش تجهیزات برق و اتوماسیون صنعتی

| ولتاژ (V) | عمق×ارتفاع×عرض (mm) | نرمال | | سنگین | | قیمت (ریال) | کد کالا | ردیف |
|-----------------------------------|---------------------|-----------|-----------|-----------|-----------------|-----------------|--------------------|------|
| | | جریان (A) | توان (kW) | جریان (A) | توان (kW) | | | |
| مدل GD200A ، کاربری سنگین و نرمال | | | | | | | | |
| 380/3 ~ 220/1 ~ | 170×320×200 | | | 14 | 5.5 | 685,250,000 | GD200A-5R5G-S24 | 84 |
| | | | | 18.5 | 7.5 | 806,380,000 | GD200A-7R5G-S24 | 85 |
| 380/3~ | 126×186×155 | | | 2.5 | 0.75 | 285,630,000 | GD200A-0R7G-4 | 86 |
| | | | | 3.7 | 1.5 | 309,750,000 | GD200A-1R5G-4 | 87 |
| | | | | 5 | 2.2 | 349,630,000 | GD200A-2R2G-4 | 88 |
| | | | | 9.5 | 4 | 437,880,000 | GD200A-004G/5R5P-4 | 89 |
| | 146×256×171 | 14 | 5.5 | 9.5 | 4 | 437,880,000 | GD200A-004G/5R5P-4 | 89 |
| | | 18.5 | 7.5 | 14 | 5.5 | 529,500,000 | GD200A-5R5G/7R5P-4 | 90 |
| | 170×320×200 | 25 | 11 | 18.5 | 7.5 | 642,000,000 | GD200A-7R5G/011P-4 | 91 |
| | | 32 | 15 | 25 | 11 | 768,250,000 | GD200A-011G/015P-4 | 92 |
| | | 38 | 18.5 | 32 | 15 | 906,630,000 | GD200A-015G/018P-4 | 93 |
| | 230×342×219 | 45 | 22 | 38 | 18.5 | 1,091,900,000 | GD200A-018G/022P-4 | 94 |
| | 255×407×246 | 60 | 30 | 45 | 22 | 1,328,900,000 | GD200A-022G/030P-4 | 95 |
| | | 75 | 37 | 60 | 30 | 1,629,500,000 | GD200A-030G/037P-4 | 96 |
| | 270×555×333 | 92 | 45 | 75 | 37 | 2,032,400,000 | GD200A-037G/045P-4 | 97 |
| | | 115 | 55 | 92 | 45 | 2,389,800,000 | GD200A-045G/055P-4 | 98 |
| | | 150 | 75 | 115 | 55 | 2,875,000,000 | GD200A-055G/075P-4 | 99 |
| | 325×680×374 | 180 | 90 | 150 | 75 | 3,551,500,000 | GD200A-075G/090P-4 | 100 |
| | | 215 | 110 | 180 | 90 | 4,061,900,000 | GD200A-090G/110P-4 | 101 |
| | | 260 | 132 | 215 | 110 | 4,979,500,000 | GD200A-110G/132P-4 | 102 |
| | 500×870×368 | 305 | 160 | 260 | 132 | 5,313,300,000 | GD200A-132G/160P-4 | 103 |
| | | 340 | 185 | 305 | 160 | 5,751,500,000 | GD200A-160G/185P-4 | 104 |
| | | 380 | 200 | 340 | 185 | 6,351,500,000 | GD200A-185G/200P-4 | 105 |
| | | 425 | 220 | 380 | 200 | 7,419,200,000 | GD200A-200G/220P-4 | 106 |
| | 680×960×388 | 480 | 250 | 425 | 220 | 8,358,900,000 | GD200A-220G/250P-4 | 107 |
| | | 530 | 280 | 480 | 250 | 9,160,400,000 | GD200A-250G/280P-4 | 108 |
| | | 600 | 315 | 530 | 280 | 10,507,400,000 | GD200A-280G/315P-4 | 109 |
| | | 650 | 355 | 600 | 315 | 12,320,700,000 | GD200A-315G/355P-4 | 110 |
| | 620×1700×560 | 720 | 400 | 650 | 355 | استعلام از شرکت | GD200A-355G/400P-4 | 111 |
| | | | | 720 | 400 | استعلام از شرکت | GD200A-400G-4 | 112 |
| | | | 820 | 450 | استعلام از شرکت | GD200A-450G-4 | 113 | |
| | | | 860 | 500 | استعلام از شرکت | GD200A-500G-4 | 114 | |
| 1447×0142×442 | | | 1060 | 560 | استعلام از شرکت | GD200A-560G-4 | 115 | |
| | | | 1200 | 630 | استعلام از شرکت | GD200A-630G-4 | 116 | |
| 1323x1900x636 | | | 1300 | 710 | استعلام از شرکت | GD200A-710G-4 | 117 | |
| | | | 1440 | 800 | استعلام از شرکت | GD200A-800G-4 | 118 | |
| | | | 1720 | 1000 | استعلام از شرکت | GD200A-1000G-4 | 119 | |
| 1956x1900x636 | | | 2160 | 1200 | استعلام از شرکت | GD200A-1200G-4 | 120 | |

invt لیست قیمت درایو - بهمن 1404

| ولتاژ (V) | عمق×ارتفاع×عرض (mm) | نرمال | | سنگین | | قیمت (ریال) | کد کالا | ردیف |
|--|---------------------|-----------|-----------|-----------|-----------|--------------------|-----------------------|------|
| | | جریان (A) | توان (kW) | جریان (A) | توان (kW) | | | |
| مدل GD350A ، کاربری های پیشرفته | | | | | | | | |
| 380/3~ | 126×186×185 | 5 | 2.2 | 3.7 | 1.5 | 335,750,000 | GD350A-1R5G/2R2P-4 | 121 |
| | | 7 | 3 | 5 | 2.2 | 379,000,000 | GD350A-2R2G/003P-4 | 122 |
| | 126×186×201 | 12.5 | 5.5 | 9.5 | 4 | 453,500,000 | GD350A-004G/5R5P-4 | 123 |
| | | 17 | 7.5 | 14 | 5.5 | 541,630,000 | GD350A-5R5G/7R5P-4 | 124 |
| | 146×256×192 | 23 | 11 | 18.5 | 7.5 | 629,880,000 | GD350A-7R5G/011P-4 | 125 |
| | 170×320×220 | 32 | 15 | 25 | 11 | 747,500,000 | GD350A-011G/015P-4 | 126 |
| | | 38 | 18.5 | 32 | 15 | 884,130,000 | GD350A-015G/018P-4 | 127 |
| | 200×341×208 | 45 | 22 | 38 | 18.5 | 1,067,500,000 | GD350A-018G/022P-4 | 128 |
| | | 60 | 30 | 45 | 22 | 1,292,500,000 | GD350A-022G/030P-4 | 129 |
| | 250×400×223 | 75 | 37 | 60 | 30 | 1,588,300,000 | GD350A-030G/037P-4 | 130 |
| | | 92 | 45 | 75 | 37 | 1,969,200,000 | GD350A-037G/045P-4 | 131 |
| | 282×560×258 | 115 | 55 | 92 | 45 | 2,376,500,000 | GD350A-045G/055P-4 | 132 |
| | | | | | | 2,495,700,000 | GD350A-045G/055P-4-B | 133 |
| | | 150 | 75 | 115 | 55 | 2,866,300,000 | GD350A-055G/075P-4 | 134 |
| | | | | | | 3,011,900,000 | GD350A-055G/075P-4-B | 135 |
| | | | | | | 3,488,300,000 | GD350A-075G/090P-4 | 136 |
| | | | | | | 3,664,800,000 | GD350A-075G/090P-4-B | 137 |
| | 338×554×330 | 215 | 110 | 180 | 90 | 4,041,300,000 | GD350A-090G/110P-4 | 138 |
| | | | | | | 4,244,200,000 | GD350A-090G/110P-4-B | 139 |
| | 260 | 132 | 215 | 110 | 110 | 4,856,000,000 | GD350A-110G/132P-4 | 140 |
| | | | | | | 5,097,200,000 | GD350A-110G/132P-4-B | 141 |
| | 500×870×360 | 305 | 160 | 260 | 132 | 6,033,900,000 | GD350A-132G/160P-4 | 142 |
| | | | | | | 6,728,000,000 | GD350A-160G/185P-4 | 143 |
| | | | | | | 7,414,800,000 | GD350A-185G/200P-4 | 144 |
| 8,410,400,000 | | | | | | GD350A-200G/220P-4 | 145 | |
| مدل GD350-IP55 ، مخصوص محیط های آلوده | | | | | | | | |
| 380/3~ | 196×429×227 | 12.5 | 5.5 | 9.5 | 4 | 671,380,000 | GD350-004G/5R5P-45-NS | 146 |
| | | 17 | 7.5 | 14 | 5.5 | 754,500,000 | GD350-5R5G/7R5P-45-NS | 147 |
| | 223×504×251 | 23 | 11 | 18.5 | 7.5 | 904,880,000 | GD350-7R5G/011P-45-NS | 148 |
| | | 32 | 15 | 25 | 11 | 1,048,700,000 | GD350-011G/015P-45-NS | 149 |
| | 274×552×246 | 38 | 18.5 | 32 | 15 | 1,221,500,000 | GD350-015G/018P-45-NS | 150 |
| | | 45 | 22 | 38 | 18.5 | 1,420,500,000 | GD350-018G/022P-45-NS | 151 |
| | 318×619×243 | 60 | 30 | 45 | 22 | 1,708,900,000 | GD350-022G/030P-45-NS | 152 |
| | | 75 | 37 | 60 | 30 | 2,073,700,000 | GD350-030G/037P-45-NS | 153 |
| | 338×830×290 | 92 | 45 | 75 | 37 | 2,523,700,000 | GD350-037G/045P-45-NS | 154 |
| | | 115 | 55 | 92 | 45 | 2,964,800,000 | GD350-045G/055P-45-NS | 155 |
| | 370×825×335 | 150 | 75 | 115 | 55 | 3,514,800,000 | GD350-055G/075P-45-NS | 156 |
| | | 170 | 90 | 150 | 75 | 4,025,000,000 | GD350-075G/090P-45-NS | 157 |

| لیست قیمت درایو - بهمن 1404 | | | | | | | | |
|-------------------------------------|---------------------|--|-----------|---------------|-------------|-----------------|-----------------|-----|
| ولتاژ (V) | عمق×ارتفاع×عرض (mm) | جریان (A) | توان (kW) | قیمت (ریال) | کد کالا | ردیف | | |
| مدل GD10 ، کاربری نیمه‌سنگین | | | | | | | | |
| 220/3 ~ 220/1 ~ | 85×146×134 | 1.6 | 0.2 | 124,630,000 | 143,750,000 | GD10-0R2G-S2-B | 158 | |
| | | 2.5 | 0.4 | 140,250,000 | 159,380,000 | GD10-0R4G-S2-B | 159 | |
| | 85×145×153 | 4.2 | 0.75 | 154,000,000 | 171,380,000 | GD10-0R7G-S2-B | 160 | |
| | | 7.5 | 1.5 | 195,630,000 | 214,630,000 | GD10-1R5G-S2-B | 161 | |
| | 100×171×153 | 10 | 2.2 | 214,630,000 | 232,000,000 | GD10-2R2G-S2-B | 162 | |
| | | 2.5 | 0.75 | 195,630,000 | 214,630,000 | GD10-0R7G-4-B | 163 | |
| 380/3~ | 100×171×153 | 4.2 | 1.5 | 214,630,000 | 232,000,000 | GD10-1R5G-4-B | 164 | |
| | | 5.5 | 2.2 | 233,750,000 | 251,000,000 | GD10-2R2G-4-B | 165 | |
| | | درایو مخصوص موتور تکفاز | | | | | | |
| 220/1 ~ 220/1 ~ | 80×160×124 | 4.2 | 0.4 | 190,500,000 | | GD20-0R4G-SS2 | 166 | |
| | | 7.2 | 0.75 | 218,130,000 | | GD20-0R7G-SS2 | 167 | |
| | 80×185×141 | 10.2 | 1.5 | 254,500,000 | | GD20-1R5G-SS2 | 168 | |
| | | 14 | 2.2 | 290,750,000 | | GD20-2R2G-SS2 | 169 | |
| مدل GD350 با ولتاژ 220v | | | | | | | | |
| 220/3~ | 126×186×185 | 4.2 | 0.75 | 387,750,000 | | GD350-0R7G-2 | 170 | |
| | | 7.5 | 1.5 | 469,000,000 | | GD350-1R5G-2 | 171 | |
| | 126×186×201 | 10 | 2.2 | 491,500,000 | | GD350-2R2G-2 | 172 | |
| | | 16 | 4 | 569,380,000 | | GD350-004G-2 | 173 | |
| | 146×256×192 | 20 | 5.5 | 659,380,000 | | GD350-5R5G-2 | 174 | |
| | | 30 | 7.5 | 861,630,000 | | GD350-7R5G-2 | 175 | |
| | | مدل GD170-PV ، تغذیه با پنل خورشیدی + ورودی AC برای ژنراتور و ... | | | | | | |
| | 380/3~ | 80×185×141 | 9.5 | 4 | 332,250,000 | | GD170-004G-4-PV | 176 |
| 14 | | | 5.5 | 434,380,000 | | GD170-5R5G-4-PV | 177 | |
| 146×256×167 | | 18.5 | 7.5 | 510,500,000 | | GD170-7R5G-4-PV | 178 | |
| | | 25 | 11 | 617,750,000 | | GD170-011G-4-PV | 179 | |
| 170×320×197 | | 32 | 15 | 714,630,000 | | GD170-015G-4-PV | 180 | |
| | | 38 | 18.5 | 804,630,000 | | GD170-018G-4-PV | 181 | |
| | | 45 | 22 | 956,000,000 | | GD170-022G-4-PV | 182 | |
| 200×341×185 | | 60 | 30 | 1,090,000,000 | | GD170-030G-4-PV | 183 | |
| | | مدل SPC ، مخصوص تغذیه با پنل خورشیدی - IP65 | | | | | | |
| 380/3~ | | 242×286×111 | 9.5 | 4 | 370,380,000 | | SPC004TR46-S | 184 |
| | 263×286×151 | 17 | 5.7 | 493,130,000 | | SPC7K5TR46-S | 185 | |

invt لیست قیمت درایو - بهمن 1404

| ردیف | کد کالا | قیمت (ریال) | توان (kW) | جریان (A) | اندوکتانس (μH) | عمق یار تفاع عرض (mm) |
|--------------------------|------------|-------------|-----------|-----------|----------------|-----------------------|
| چوک ورودی اینورتر | | | | | | |
| 150×180×100 | ACL2-004-4 | سفارشی | 4 | 11 | 1340 | |
| | ACL2-5R5-4 | سفارشی | 5.5 | 13 | 1130 | |
| 170×200×120 | ACL2-7R5-4 | سفارشی | 7.5 | 16 | 920 | |
| | ACL2-011-4 | سفارشی | 11 | 21 | 700 | |
| | ACL2-015-4 | سفارشی | 15 | 29 | 510 | |
| | ACL2-018-4 | سفارشی | 18.5 | 35 | 420 | |
| 210×200×180 | ACL2-022-4 | سفارشی | 22 | 46 | 320 | |
| | ACL2-030-4 | سفارشی | 30 | 60 | 250 | |
| | ACL2-037-4 | سفارشی | 37 | 75 | 210 | |
| | ACL2-045-4 | سفارشی | 45 | 95 | 160 | |
| 240×225×200 | ACL2-055-4 | سفارشی | 55 | 124 | 120 | |
| | ACL2-075-4 | سفارشی | 75 | 156 | 95 | |
| | ACL2-090-4 | سفارشی | 90 | 182 | 81 | |
| | ACL2-110-4 | سفارشی | 110 | 230 | 64 | |
| 300×260×200 | ACL2-132-4 | سفارشی | 132 | 280 | 53 | |
| | ACL2-160-4 | سفارشی | 160 | 330 | 45 | |
| | ACL2-200-4 | سفارشی | 200 | 400 | 37 | |
| | ACL2-220-4 | سفارشی | 220 | 440 | 34 | |
| 350×350×250 | ACL2-250-4 | سفارشی | 250 | 500 | 30 | |
| | ACL2-280-4 | سفارشی | 280 | 550 | 27 | |
| چوک خروجی اینورتر | | | | | | |
| 150×180×100 | OCL2-004-4 | سفارشی | 4 | 11 | 670 | |
| | OCL2-5R5-4 | سفارشی | 5.5 | 13 | 560 | |
| 170×200×110 | OCL2-7R5-4 | سفارشی | 7.5 | 16 | 460 | |
| | OCL2-011-4 | سفارشی | 11 | 21 | 350 | |
| | OCL2-015-4 | سفارشی | 15 | 29 | 250 | |
| | OCL2-018-4 | سفارشی | 18.5 | 35 | 210 | |
| 200×200×170 | OCL2-022-4 | سفارشی | 22 | 46 | 160 | |
| | OCL2-030-4 | سفارشی | 30 | 60 | 123 | |
| | OCL2-037-4 | سفارشی | 37 | 75 | 98 | |
| | OCL2-045-4 | سفارشی | 45 | 95 | 77 | |
| 250×230×200 | OCL2-055-4 | سفارشی | 55 | 124 | 59 | |
| | OCL2-075-4 | سفارشی | 75 | 156 | 47 | |
| | OCL2-090-4 | سفارشی | 90 | 182 | 40 | |
| | OCL2-110-4 | سفارشی | 110 | 230 | 32 | |
| 300×250×220 | OCL2-132-4 | سفارشی | 132 | 280 | 26 | |
| | OCL2-160-4 | سفارشی | 160 | 330 | 22 | |
| | OCL2-200-4 | سفارشی | 200 | 400 | 18 | |
| | OCL2-220-4 | سفارشی | 220 | 440 | 17 | |
| | OCL2-250-4 | سفارشی | 250 | 500 | 15 | |

invt لیست قیمت درایو - بهمن 1404

تجهیزات جانبی

| رنج دستگاه | توضیحات | قیمت (ریال) | کد کالا | ردیف |
|----------------|---|-------------|---------------|------|
| GD10.GD20.GD27 | کلید (نمایشگر) | 19,130,000 | GD KY1 | 225 |
| GD20, GD27 | کلید با قابلیت کپی و انتقال تنظیمات | 22,500,000 | GD KY2 | 226 |
| GD200-270-350 | کلید LED | 29,500,000 | GD-LED KY | 227 |
| GD200A | کلید LCD | 112,500,000 | GD-LCD KY1 | 228 |
| GD350, GD270 | | 148,880,000 | GD-LCD KY2 | 229 |
| GD10.GD20.GD27 | قاب نصب کلید (براکت) | 6,780,000 | Bracket-1 | 230 |
| GD200-270-350 | | 6,780,000 | Bracket-2 | 231 |
| 160kW | DBU Series Dynamic braking unit: Loading at 5 minutes %100 | 468,880,000 | DBU-160-4 | 232 |
| 220kW | (De-rate for longer time loading) | 529,500,000 | DBU-220-4 | 233 |
| 315kW | Parallel Connection is available | 590,000,000 | DBU-315-4 | 234 |
| 75kW | DBU100H Series Dynamic braking unit | 539,880,000 | DBU100H-110-4 | 235 |
| 110kW | (Loading continuously %100) | 557,250,000 | DBU100H-160-4 | 236 |
| 132kW | Parallel Connection is available | 650,630,000 | DBU100H-220-4 | 237 |
| 200kW | | 815,000,000 | DBU100H-320-4 | 238 |
| GD270 | Relay Card | 53,750,000 | EC-IO503-00 | 239 |
| GD350, GD270 | IO expansion card | 53,750,000 | EC-IO501-00 | 240 |
| GD350 | PT100 & PT1000 IO expansion card | 48,630,000 | EC-IO502-00 | 241 |
| GD350 | Programmable expansion card (PLC) | 98,750,000 | EC-PC502-00 | 242 |
| GD350 | Power Supply expansion card | 69,380,000 | EC-PS501-24 | 243 |
| GD350, GD270 | 4G IOT card | 131,630,000 | EC-IC502-2 | 244 |
| GD350, GD270 | GPRS IOT card | 123,000,000 | EC-IC501-2 | 245 |
| GD350 ≤ 75kW | Bluetooth Communication Card | 83,130,000 | EC-TX501-1 | 246 |
| GD350 ≥ 90kW | | 83,130,000 | EC-TX501-2 | 247 |
| GD350 ≤ 75kW | Wi-Fi Communication Card | 83,130,000 | EC-TX502-1 | 248 |
| GD350 ≥ 90kW | | 100,380,000 | EC-TX502-2 | 249 |
| GD350, GD270 | PROFIBUS-DP Communication Card | 264,750,000 | EC-TX503 | 250 |
| GD350, GD270 | Ethernet Communication Card | 86,630,000 | EC-TX504 | 251 |
| GD350, GD270 | Master/Slave + CANopen Communication | 275,250,000 | EC-TX505C | 252 |
| GD350, GD270 | PROFINET Communication Card | 264,750,000 | EC-TX509 | 253 |
| GD350 | EtherCAT Communication Card | 261,380,000 | EC-TX508 | 254 |
| GD350 | Ethernet/IP Communication Card | 103,880,000 | EC-TX510 | 255 |
| GD350 | Modbus TCP Communication Card | 119,500,000 | EC-TX515 | 256 |
| GD350 | Sin/Cos PG card | 100,500,000 | EC-PG502 | 257 |
| GD350 | UVW PG Card | 128,130,000 | EC-PG503-05 | 258 |
| GD350 | Resolver PG Card | 114,380,000 | EC-PG504-00 | 259 |
| GD350 | Multi-function PG Card (5v / 12v) | 110,750,000 | EC-PG505-12 | 260 |
| GD350 | Multi-function PG Card (24v) | 110,750,000 | EC-PG505-24 | 261 |
| GD350 | Simple PG Card (5v / 12v) | 72,750,000 | EC-PG507-12 | 262 |
| GD350 | Simple PG Card (24v) | 79,630,000 | EC-PG507-24 | 263 |